

Outdoor Wireless Bollard




Ventev's compact, aesthetically pleasing Outdoor Wireless Bollard enables seamless Wi-Fi and wireless communications in any outdoor environment such as in courtyards, along walkways, and across campuses. Constructed of durable, RF-transparent, UV-resistant fiberglass and polycarbonate, the NEMA 3R-rated Bollard is designed to protect and secure most Wi-Fi access points, antennas, switches, media converters and power supplies from harsh weather and tampering. Includes built-in cable management..

Every Ventev enclosure is covered by the company's two-year TerraNet warranty program.

For more information or to purchase, contact Ventev:
800.851.4965 or sales@ventev.com.

Specifications	
SKU	212287
Model	BLRD-FRPB-4210C1
Outside Dimensions (L x W x D)	42 x 11.6 x 11.6 in 1076 x 295 x 295 mm
Inside Dimensions	9.63 in. (244 mm) inside diameter by (889 mm) 35 in. bollard length
Exterior Construction	UV-resistant, RF transparent fiberglass with polycarbonate cap. Product color is black and is paintable, using non-metallic paint
Interior Construction	Reinforced and high-impact polycarbonate structure that is virtually RF transparent and heavy-gage 5052 Aluminum anchor base
Mounting	Anchors to pre-installed concrete pedestal using tamperproof hardware. Cabling routes through conduit in pedestal.
Weight	36 lbs / 16.4 kg approximate
NEMA Rating	NEMA 3R

Outdoor Wireless Bollard



*Octagonal Cap
Bollard*

Shown above with access point and antenna for reference only. (AP and antenna not included)

Products ship with:

- One (1) fiberglass Bollard with bonded polycarbonate cap
- One (1) fully-assembled internal structure for equipment mounting
- One (1) AP Mounting Bracket and 1/4" Hardware (Bracket fits most indoor Cisco & Aruba APs)
- Four (4) 5/16"-18 Tamper-Resistant Screws

Outdoor Wireless Bollard

Compatible Access Points for Outdoor Wireless Bollard

	Indoor AP with External Antenna	Outdoor or Industrial APs***
Cisco	3800 Series	1572EAC/EC *
	2802 Series	1562E/I/D
	1850 Series	1542 I/D
	MR55	MR84
Meraki	MR53E	MR74
	MR45	MR86
	MR42E	
	AP-514/515	AP-365
Aruba	AP-344/345	AP-367
	AP-334/335	
	AP-324/325	
	AP-314/315	
	AP-304/305	
	AP-318	
	AP-228	

* Needs Mounting Bracket-Tessco No. 264023

** Please check with Ventev for additional equipment not listed here

*** **Mounting brackets NOT included for Outdoor and Industrial APs models.**
Customer is required to devise a mounting bracket for these radios.

Compatible Antennas

Small Form Factor Omni Wi-Fi Antennas

269258	2.4/5 GHz 6 dBi 4" Omni Antenna, 4 RPTNC Males
220851	2.4/5 GHz 6 dBi 4" Omni Antenna, 4 RPSMA Males
276884	2.4/5 GHz 6 dBi 4" Omni Antenna, 4 N Males

Small Form Factor Patch Wi-Fi Antennas

581764	6 dBi Micro Patch with 4 Dual Band Leads, N Male Connectors
535265	6 dBi Micro Patch with 4 Dual Band Leads, RPTNC Male Connectors
524086	6 dBi Micro Patch with 4 Dual Band Leads, RPTNC Male Connectors
251676	6 dBi Micro Patch with 4 Dual Band Leads, RPSMA Male Connectors