

# 2.4/5/6 GHz 3/4/3.5 dBi Wi-Fi Omni Antenna with RPSMA Male Connector



Ventev's Tri-Band ABS Antenna is designed to operate with any manufacturer's access point that utilizes RPSMA connectors. This antenna operates in the 2400-2500 and 5150-7125 MHz frequency range with a gain of 3/4/3.5 dBi across the band. The antenna includes a direct RPSMA Male connector and is designed to support demanding wireless applications.

*Every Ventev antenna is RoHS compliant and covered by Ventev's two-year TerraNet warranty program.*

**For more information or to purchase, contact Ventev: 800.851.4965 or [sales@ventev.com](mailto:sales@ventev.com).**

## SPECIFICATIONS

SKU: 605253

Model Number: M7030040O10002T

Frequency Range: 2.4/5/6 GHz

Gain: 3/4/3.5 dBi

Vertical Beamwidth: 80°/70°/60°

Polarization: Vertical/Linear

VSWR: ≤ 2.0/≤ 2.0/≤ 2.5

Maximum Input Power: 2W

Nominal Impedance: 50 Ohms

# of Ports: 1


Connector Type: RPSMA Male

Length: 5"


Width: 1"

Weight: 0.05 lbs.


Operating Temperature: -40° to 140°F



2.45 GHz



5.30 GHz



6.50 GHz

*Terrawave by Ventev*