





12" x 10" x 5" Dual Line PoE Heated & Cooled Wi-Fi Enclosure Solution for Wi-Fi Access Points

Ventev's PoE Powered Outdoor Enclosure System is a plug-and-play solution engineered to enable the use of Indoor access points in outdoor applications. Housed in a 12"x10"x5" Sleek NEMA enclosure, this compact system includes a controlled heating and cooling system that keeps ambient temperature of the enclosure within manufacturer specified operating temperature. This system can utilize an integrated Omni antenna or an external Patch or Omni antenna mounted separately. Two separate PoE lines are required to power this system (One for the AP, a second to power the Heating System). *Every Ventev enclosure is covered by the company's two-year warranty program. For questions or to purchase product, contact Ventev at 410-229-1201, 800-851-4965 or sales@ventev.com.*



Dual Line PoE Heated & Cooled Enclosure – RPSMA
Part #: VNV-OUT-RPS-2AC
SKU: 265121



Dual Line PoE Heated & Cooled Enclosure – RPTNC
Part #: VNV-OUT-RPT-2AC
SKU: 250691

Features

- Compatible with the many 802.3at Powered Access Points
- Compact, durable, weatherproof, NEMA-3RX rated outdoor enclosure, constructed of a high-quality polycarbonate plastic that is UV resistant, corrosion resistant and sustainable in broad temperature ranges
- Innovative heating & cooling system, powered by PoE line (Second Line required to power AP)

Benefits

- Extend Wi-Fi outdoors at a lower cost, using an indoor AP and a Ventev outdoor enclosure solution (vs. outdoor AP)
- Protect the AP from theft, tampering and impact with a secure, durable polycarbonate enclosure
- Protect the AP from harsh environmental elements (heat/cold, rain/sleet/snow/ice, corrosion) with a NEMA-3RX rated enclosure
- Eliminate the need for costly AC power deployment, midspan PoE injectors and the need for additional switch ports with a single line PoE-only powered solution
- Ensure **aesthetically pleasing** appearance with a compact fully-integrated solution



12" x 10" x 5" Dual Line PoE Heated & Cooled Wi-Fi Enclosure Solution for Wi-Fi Access Points

PoE Heated & Cooled Enclosure Specifications	
Dimensions (W x L x H)	12" x 10" x 5"
Enclosure Material	Polycarbonate
Color	Grey
NEMA Rating	3RX
Environmental Temp Range	-40°F to 86°F (-40° to 30° C)
Heating	12 VDC
Heating Thermostat Operation	On: 41°F (5°C), Off: 59°F (15°C)
Cooling	30.4 CFM, 12 VDC Fan
Cooling Thermostat Operation	On: 122°F (50°C) Off: 95°F (35°C)
Input Power	Two 25.5W PoE Lines: one for AP and one for environmental controls
Recommended AP Temperature	32°F (0°C) - 122°F (50°C) or better
Weight	10 lbs

Dual Line PoE Heated & Cooled Enclosure		
	Solid Door w/ RPSMA Connectors	Solid Door w/ RPTNC Connectors
SKU #	265121	250691
Part #	VNV-OUT-RPS-2AC	VNV-OUT-RPT-2AC