



2 dBi / 3 dBi Dual Band OmniRubber Duck Antenna with N-Style Plug Connector

Ventev's TerraWave compact dual-band omnidirectional antenna offers wide coverage giving the user the ease and flexibility of having only one antenna for any type of access point. It features 2 dBi / 3 dBi gain (2.4 GHz / 5 GHz frequencies) and its rugged design makes it suitable for a wide variety of applications.. *Every TerraWave antenna is covered by the Company's two year TerraNet warranty program. For questions and to purchase product, contact Ventev: 800-851-4965 or sales@ventev.com.*





Specifications		
Model Number	M7020030R10007B	
Frequency Ranges	2400 MHz - 2500 MHz	4900 MHz - 5875 MHz
Gain	2 dBi	3 dBi
VSWR	2:0:1 Max.	
Polarization	Linear, Vertical	
HPBW / Horizontal	360°	360°
HPBW / Vertical	70°	50°
Impedance	50 Ohms	
Power Handling	2 W (cw)	
Connector	N-Style Plug	
Temperature	-10° C to +55° C	
Humidity	95% @ 25° C	
Radome Color	Black	
Radome Material	PU, ABS, UV Resistant	
Weight	0.10 lbs	
Dimensions	1.75" x 7"	



2 dBi / 3 dBi Dual Band OmniRubber Duck Antenna with N-Style Plug Connector

Radiation Patterns



2.4 GHz



2.45 GHz





2.5 GHz





2 dBi / 3 dBi Dual Band OmniRubber Duck Antenna with N-Style Plug Connector

Radiation Patterns

4.9 GHz



5.4 GHz



5.8 GHz

